



SSC
TEC SINCE 2002
SHOES SOLE CLEANER



SSC is a professional entrance hygiene procedures solutions provider, since 2002. We clean your shoes sole and also bring a clean and clear life to you. We have wet & dry shoes sole and hands cleaning system. For dust free work room and any places require clean environment. We have two brands: **SSC** for overseas market. **YINGTAI** for China market.



*Following is a brief introduction and price overview, after you decide the product model please let us know and you will get a detailed formal quotation with parameters.


Catalog

(1) Automatic shoes sole cleaner (lying on floor)-----	p2.3
(2) Moving brush plate cleaner-----	p4
(3) Automatic Ultra-thin cleaner (fix in floor)-----	p5
(4) Automatic boots cleaner-----	p6.7.8
(5) No-Powered boots cleaner-----	p9
(6) Automatic soles and hands washing machine-----	p10.11.12
(7) WHEEL CLEANING MATS & GROOVE-----	p13
(8) Miniature moveable small sole cleaner-----	p14
(9) Air Shower-----	p15
(10) Basic Ultra-thin Cleaning sheet/mat-----	p16
Customers cases-----	p17


(1) Automatic shoes sole cleaner (lying on floor)

Sole cleaning machine shell adopts 304 stainless steel materials, resistant nylon brush material, durable. easy to use, just a few seconds, the mud and dust on soles pollution can be automatically washed off. Automatically Infrared induction run/stop, Automatically cleaning water in/out. Built-in water level controller.





We use special brush belts, never rot, Strong and durable, water proof.



Technical parameters: (Automatic version)

Type&Size:(MM)	Cleaning area length	Power	Speed	Motor Voltage	FOB Price
3110X760X120	2020MM	250W	110 r/min	220V-50~60Hz	4,850USD
2760X760X120	2020MM	250W	110 r/min	220V-50~60Hz	4,300USD
2160X760X120	1100MM	180W	110 r/min	220V-50~60Hz	4,000USD
1760X760X120	1100MM	180W	110 r/min	220V-50~60Hz	3,700USD
1560X760X120	500MM	140W	110 r/min	220V-50~60Hz	3,300USD
1160X760X120	500MM	140W	110 r/min	220V-50~60Hz	2,950USD

**The above is the status size information; The length and width can be adjusted 1~5cm for your needs.*

(2) Moving brush plate cleaner

Our shoes soles textures are complex, If the brush moves in a different direction than the sole texture direction, then it can't remove dust effectively.

We can ask our employees to wear uniform shoes to keep the sole texture clean easily, but in some other places, we should not ask people to wear the same shoes, so the cleaner is designed for this.

Two working modes: Wet (with water + Detergent Disinfectant) / Dry (Connect the vacuum cleaner)

Designed for Complex texture soles

The device cleans the dust of the sole texture through the multi-directional movement of the board brush



Human body induction switch / SUS304 material

Digital adjustable operation time / With form wheels easy to move (can be locked).

Speed adjustable. / One button to add detergent / One button to pump sewage out.

Technical Parameters:


Type&Size: MM	Power: (w)	Speed/min	Motor Voltage	FOB Price
1000X600X160	90W	80~130	220V-50~60Hz	3,350USD

*vacuum cleaner + price 500USD/pcs.

(3) Automatic Ultra-thin cleaner (fix in floor)

This version cleaner needs to make a square hole in the floor, reserved for the cable, inlet pipe, drain pipe inside. Mainly used in office and entrance door ground.

*The surface of the sole cleaner is same level with ground, so people can walk without being blocked.




Technical Parameters:

Type&Size: MM	Power: (w)	Speed/min	Motor Voltage	FOB Price
900X800X4	140W	110	220V-50~60Hz	3,450USD
1400X800X4	180W	110	220V-50~60Hz	3,850USD
2400X800X4	250W	110	220V-50~60Hz	4,450USD

(4-1) Automatic boots cleaner



B1



Technical Parameters:

Type&Size: MM	Power: (w)	Speed/min	motor Voltage	FOB Price
2200X900X1200 (high)	400W	110	220V-50~60Hz	3,850USD

Cleaning for boots soles & boots sides.(clean for boots height 10~40CM) /Human induction start/
Automatic add disinfectant or detergent./ Alarm if lack of liquid./ Digital adjustable operation time.

(4-2) Automatic boots cleaner



Technical Parameters:

Type&Size: MM	Power: (w)	Speed/min	motor Voltage	FOB Price
1200X900X1200 (high)	300W	110	220V-50~60Hz	3,500USD

Automatic machine for boots sides cleaning and soles washing.

Cleaning for boots soles boots sides.(clean for boots height 10~40CM) /Human induction start/

Automatic add disinfectant or detergent./ Alarm if lack of liquid./ Digital adjustable operation time.

(4-3) Automatic boots cleaner



Technical Parameters:

Type&Size: MM	Power: (w)	Speed/min	motor Voltage	FOB Price
3600X1200X400 (high)	1200W	110~135	220V-50~60Hz	15,800USD


Automatic machine for boots sides cleaning and soles washing.

Cleaning for boots soles boots sides.(clean for boots height 10~40CM) /Human induction start/
Automatic add disinfectant or detergent./ Alarm if lack of liquid./ Digital adjustable operation time.

The use of places:

Industrial and mining enterprises and other food companies, employees need to wear the boots work environment.

(5) No-Powered boots cleaner



Technical Parameters:

Type	Size: MM	FOB Price
2-ChannelNopowered	2000X1000	2,650USD
4-ChannelNopowered	2000X1800	4,850USD
Customizable-2-Channel	1000~5000MM long X1000 wide	1,500USD/meter
Customizable-4-Channel	1000~5000MM long X1800 wide	2,500USD/meter

No-powered cleaner for boots sides cleaning and soles washing.

Material: SUS 304 stainless steel plate, nylon brush , switch of water pump intelligent controller.

The use of places:

Industrial and mining enterprises and other food companies, the work environment where workers need to wear boots.


Water saving design

Only when people enter the cleaning machine, the nozzle began to spray;

When people leave, the nozzle stops spraying;

Soap, disinfectant and other solvents available to add.

(6-1) Automatic soles and hands washing machine



Sluice gate open only after workers Hand disinfection + Wash hands + hot air drying. / Hands do not touch the cleaner in the whole process. / Automatic replenishment of spraying liquid (disinfectant) / Human body induction switch. Gate status LED display. / Running time can be set digitally.

Technical Parameters:


Type&Size: MM	Motor Power	Speed/min	Motor Voltage	FOB Price
S1:Single channel 2000L.900W.1750H	200W	110	220V-50~60Hz	\$6,850USD
S2:Single channel 2000L.900W.1750H	200W	110	220V-50~60Hz	\$6,750USD
D1:Double channel 2000L.1800W.1750H	400W	110	220V-50~60Hz	\$12,500USD

*Optional function:

hands double sides strong hot wind drying / belts brush or roller brush/
Shoes(boots) drying / boot sides cleaning with brush / boot sides cleaning with disinfectant spray.
Boots sole disinfectant in a small plate pool.

Any other functions please feel free to tell us, we will add to the machine to meet your needs.

(6-2) Automatic soles and hands disinfection machine



Gate status LED display / Hands no touch the cleaner in the whole process / Automatic replenishment of spraying liquid (disinfectant) / Human body induction switch/ Running time can be set digitally.

Functions: shoes sole cleaning & hands disinfection.

Technical Parameters:

Type&Size: MM	Motor Power	Speed/min	Motor Voltage	FOB Price
Double channel 2000L.1800W.1450H	400W	110	220V-50~60Hz	\$9,850USD

*Optional function:

hands cleaning with water/ hands Liquid soap supply / hands double sides strong hot wind drying
Shoes(boots) drying / boot sides cleaning with brush / boot sides cleaning with disinfectant spray.
Boots sole disinfectant in a small plate pool.

Any other functions please feel free to tell us, we will add to the machine to meet your needs.

(6-3) Automatic boots and hands disinfection machine



Gate status LED display / Hands no touch the cleaner in the whole process / Automatic replenishment of spraying liquid (disinfectant) / Human body induction switch/ Running time can be set digitally.

Functions: boots sole cleaning & boots sides cleaning & boots sole disinfection & hands disinfection.

Technical Parameters:

Type&Size: MM	Motor Power	Speed/min	Motor Voltage	FOB Price
S1:Single channel 2100L.960W.1450H	200W	110	220V-50~60Hz	\$6,850USD

*Optional function:


hands cleaning with water/ hands Liquid soap supply / hands double sides strong hot wind drying
Shoes(boots) drying / boot sides cleaning with disinfectant spray.

Any other functions please feel free to tell us, we will add to the machine to meet your needs.

(7) WHEEL CLEANING MATS & GROOVE

This device can store a small amount of water, but the water is not circulation flow, and there is no motor in it, it is used to clean the wheels in clean rooms.

Made with SS 304 and nylon brush.



Wheel cleaning mats



wheel cleaning groove

<i>Products</i>	<i>FOB Price (USD)</i>	<i>minimum order quantity</i>
Wheel cleaning mats	\$500.00USD/m ²	5 m ²
wheel cleaning groove	\$4,550USD	1 UNIT

(8) Miniature moveable small sole cleaner

This device can store a small amount of water, it can be moved easily.

Mainly used in office or small laboratory.

People put their feet on the cleaning machine, then the brush belts moving to clean shoes soles.



Technical Parameters:

Type&Size: MM	FOB Price (USD)	Power	Motor Voltage
Wheel-600X450X300	\$2,450USD	140W	110/220V/50~60hz
No-Wheel-600X450X300	\$2,330USD	140W	110/220V/50~60hz

(9) Air Shower



Steel material
Manual open door
(automatic close)



Stainless steel material
Manual open door
(automatic close)



Steel / Stainless steel material
Automatic door
(auto open & auto close)

Technical Parameters:

Type	Outside Size:(MM)	Power	Speed	Motor Voltage	FOB Price
1-person per loop	1000W*1200D*2100H	1.1KW	≥22m/s	220/380V	\$2,850USD
2-person per loop	1400W*1500D*2100H	2.2KW	≥22m/s	220/380V	\$3,850USD
3-person per loop	1590W*3000D*2100H	3.3KW	≥22m/s	220/380V	\$5,550USD


* The prices above are for manual door air shower, automatic door system needs +\$900USD extra.

* Work time 0-99m/s can be adjusted. The length and width can be adjusted for your needs.

(10) Basic Ultra-thin Cleaning sheet/mat

This device can store a small amount of water, but the water is not circulation flow, and there is no motor in it, so when the water in it becomes dirty, it needs to be replaced manually.

People stand on it need to move there feet, then the brush can clean the soles.




Size: 750(long)X500(wide)X25(thick)mm

Size:750(long)X900(wide)X25(thick)mm

Type&Size: MM	FOB Price (USD)	minimum order quantity
750X480X25	195USD	10
750X680X25	295USD	10
750X900X25	395USD	10

Effect & Maintenance & Quality Assurance

Walk through the machine, then no soles prints left even stand on white paper.



- 1、 Put the cleaning machine on the floor.
- 2、 Walk on it and no need stop.
- 3、 Can be installed with circulating water.
- 4、 Machine runs only when people walk on it.

Product Accessories:

Brush belts
Absorbent cotton
The filter
Alloy frame
Alloy bar
Electric machinery
Water pump

Maintenance & Quality Assurance

It is very durable, almost no need maintenance. It just needs change 4~5 brush belts at the middle area every 1~2 years.

We provide one year of quality assurance, can be free to replace any accessories within 1 year.

We provide world-wide express shipping, DHL, Fedex, SF-express etc. for parts replacement.

Customer Cases





ITEM	DELIVER TO <i>Panasonic Automotive Systems de Mexico c/o Panasonic Logistic /Hastings 5501 George Mc Vay Dr. McAllen TX 78503</i>	LOCATION	CAPITOL EQUIP	PHONE NO.		
Panasonic Panasonic Automotive System of America		INVOICE - Mail original Invoice to: 776 HWY 74 South, Peachtree City, GA 30269 Att: Accts. Payable Dept. DELIVERY - See instructions indicated below. <small>When via truck, ship at least 150 pounds if possible to avoid freight penalty. Except when via Parcel Post, never declare value for insurance purposes when F.O.B. shipping point. Ship 1 to 50 pounds via United Parcel Service. If this service is not available, ship 1 to 40 pounds via Parcel Post insured for \$15.00. Over 40 or 50 pounds, ship via (shown below).</small>		ORIGINAL COPY	PURCHASE ORDER <small>This Purchase Order No. must appear on packing slip and all individual containers. (Indicate container having packing list) Reference Purchase Order No. on invoices and all correspondence pertaining to this order.</small>	
<small>NET - Invoices dated 1st to 15th paid on 10th of following month. Invoices dated 16th to E.O.M. paid on 25th of following month. DISCOUNTABLE - Invoices dated 1st to 15th paid on the 25th. Invoices dated 16th to E.O.M. paid on 10th of the following month unless otherwise specified below.</small>	<small>F.O.B. CD - CONSIGNEE DOCK SP - SHIPPING POINT</small>	<small>TERMS</small>	<small>YOUR VIA (OTHER)</small>	<small>DELIVERY</small>		
SELLER, SSC SHOES CLEANER TECHNOLOGY CO, LTD #35 JINYULANWAN, HAIYANG, YANTAI SHANDONG TEL: 86-136-65011691		DELIVER TO PLANT CODE	FACILITIES 80150			
<input type="checkbox"/> THIS IS A CONFIRMING ORDER TO _____		PASMX	GG 776 HWY 74 SOUTH, PEACHTREE CITY, GA 30269 GH 435 DIVIDEND DR, SUITE C, PEACHTREE CITY, GA 30269	SALES/USE TAX PAYABLE YES NO		
DATE 5-Mar-14	DELIVERY DATE					
<small>NOTE: FAILURE TO FOLLOW DELIVERY INSTRUCTIONS COULD DELAY PAYMENT OF INVOICE.</small>	<input checked="" type="checkbox"/>					
LN	PART NUMBER	DESCRIPTION	QUANTITY	U/M	UNIT COST	EXTENSION



Asia General Electric Co.,Ltd.

No.69, Room 1106/1107,11 fl, Yuzana Tower, Shwe Gone Daing , Kabar Aye Pagoda Road,
Bahan Tsp., Yangon 11201, Myanmar. Tel:551896, 551897 Fax: Ext 102 www.age_electric.com

PURCHASE ORDER		Purchase Order No.	Date : 22.09.2014		
Consignee : Asia General Electric Co.,Ltd. Address : No.69, Room 1106/1107 11fl Yuzana Tower Shwe Gone Daing Kabar Aye Pagoda Road Bahan Tsp, Yangon Myanmar. Tel : 951 551896, 951 551897		Buyer : Dragon Star Pte Ltd. Address : No. 5, Coleman Street # 02-11 Excelsior Hotel and Shopping Centre Singapore 179805 Tel : 656334 4145			
Seller : SSC Shoes Sole Cleaner Technology Co.,Ltd. Address : 128,Dongfeng Rd, Haiyang Shandong China Attn : Tel : 086-186-6501-1691, Fax: 86-535-3201713		Supplier Ref No.	Date : 19.09.2014		
		Requestion No.	Date :		
No.	Description	Unit	Unit Price		Amount (US\$ Dollars)
			Qty	US\$/Unit	
1	Shoe Soles Clener Size 3110 x 800 x 120 (MM) Automatic	Pcs	5	●●●●.00	●●●●.00
2	Shoe Soles Clener Size 1160 x 800 x 120 (MM) Automatic	Pcs	3	●●●●.00	●●●●.00

Permohonan Untuk Maybank Money Express
Application For Maybank Money Express

Tarikh/Date : 12/10/14

Cek Jamban/Banker's Cheque Interbank Giro Maybank Money Express
 Renda P/P Membership No.:

YATO PRECISION ENGINEERING SDN BHD
 (509070-M)
 No. 1, Jalan Perusahaan 1,
 Kawasan Perusahaan Beranang,
 43700 Beranang, Selangor Darul Ehsan,
 MALAYSIA.
 Tel: +603-8766 8128 Fax: +603-8766 7128

30 BUTIR-BUTIR PEMOHON / APPLICANT DETAILS

Debit Akaun / Debit Account Cek Maybank/Maybank Cheque Tunai/Cash
 Nomor Akaun / Account No. : 7126 2100 Nomor Cek / Cheque No.:
 Nama Pemohon / Applicant Name: YATO PRECISION ENGINEERING SDN BHD
 No. K.P. / No. Passport / No. Pendaftaran Syarikat / I.C. No / Passport No. / Company Registration No.:
 Alamat Pemohon / Applicant Address: Kawasan Perusahaan Beranang, 43700 Beranang, Selangor Darul Ehsan, MALAYSIA.
 Pekerjaan / Occupation:

31 BUTIR-BUTIR PENERIMA / BENEFICIARY DETAILS

Nama Penerima / Beneficiary Name: CHANG XING DU
 No. Akaun / Account No. (IBAN for Europe): 6013821 91000646 93588
 No. K.P. / No. Passport / No. Pendaftaran Syarikat / I.C. No / Passport No. / Company Registration No.:
 Alamat Penerima / Beneficiary Address:
 Pekerjaan / Occupation:

32 BUTIR-BUTIR BANK PENERIMA / BENEFICIARY BANK DETAILS

Bank Penerima / Beneficiary Bank: GUANGZHOU DONGYI FENG XI ROAD
 Alamat / Address: SUI BRANCH
 Swift Code / Chips UID: BKCHCN33JAV3
 National Clearing Code (AU/USA/Fedwire/Sort Code/UKAPS/IPS, etc):

34 BUTIR-BUTIR BANK DETAILS (if any)



YANTAI YINGTAI Purification tech. co.,ltd.
YANTAI YINGTAI Machinery tech. co.,ltd.

Mr. Shawn Du

Email -1: s@shoes-sole-cleaner.com

Email -2: 86ceo@163.com (this is a spare email, in case the above email is down.)

Tel: +86-130-5459-3298

#128,Dongfeng Road, Haiyang, Yantai, Shandong, China.

<http://www.shoes-sole-cleaner.com> (English)

<http://www.xiediqingjieji.com> (中文)

